Fail-Safe

APN

ArcMED Patient Narrow, 4' Length

- Exam
- Ambient
- Reading
- Night Light

Natural Pattern Lens Choices

NP1 Natural Pattern 1 (grasses)



NP2 Natural Pattern 2 (weave)

NP3 Natural Pattern 3 (geometric)



Put light where it's needed

APN positioned on both sides of the patient bed, ensures minimal glare and shadow-free examination.

Pleasing Aesthetics

A mere 4" nominal aperture with a choice of natural pattern lenses, to add the finishing touch to the patient room.

Confidence!

Lumen packages to deliver 100+ avarage minimum foot candles on the bed, for an accurate, functional exam.

Patient Room • Behavioral Health • Exam/Procedure Room

Asymmetric Lens

ASY (asymmetric)



OPLASY Lens (asymmetric)

Opal Lens (symmetric) – default



COOPER Lighting Solutions

a signify business

Scan for more.

APN
ArcMed Patient Narrow

Fail-Safe

Save Money Save Time Peace of Mind

Category	Feature	Benefit	Result
Construction	One piece bottom lens eliminates hard-to-clean areas	Easy maintenance and cleaning	
	Optional clear polycarbonate lens	Can be used for behavioral health applications	
Performance	IP65 rated	Added protection from elements (dust, water)	
	UL listed for wet locations	Easy cleaning	
	IP65 rated	Useful in isolation room applications	
	Five year warranty standard, ten year warranty available	Guaranteed performance	

Energy and Performance Data

Function	Output Level	Lumens	Wattage	Efficacy
Ambient	39	3920	45.8W	86
	35	3500	40.4W	87
	32	3155	36.4W	87
	28	2787	32.2W	87
	24	2413	27.9W	86
	20	2027	23.8W	85
Exam	42	4208	46.2W	91
	37	3744	40.8W	92
	34	3376	36.8W	92
	30	2979	32.5W	92
	26	2580	28.2W	91
	22	2169	24W	90
Reading		756	15.1W	50
Night		149	3.5W	42

CRI/CCT Multipliers

L830	0.943
L835	1
L840	1
L850	1.015
L930	0.815
L935	0.861
L940	0.868
L950	0.868

Product Certifications and Features

CERTIFIED · RoHS COMPLIANT · FC · damp location · IP65 · IK10 · NSF · LIGATURE RESISTANT · BAA · BABA · 5 YEAR · VividTune · BioUp Melanopic Lighting

COOPER Lighting Solutions
a signify business

APN
ArcMed Patient Narrow

Fail-Safe

Compartment Configurations



Delivered Lumens	0	1500 Pair	4000 - 7800 Pair	4400 - 8400 Pair	300 Pair





Delivered Lumens	5500 - 9300 Pair	2600 Pair	4300 - 8100 Pair	8400 - 16200 Pair	10200 - 18000 Pair



COOPER Lighting Solutions
a signify business

Cooper Lighting Solutions
1121 Highway 74 South
Peachtree City, GA 30269
P: 770-486-4800
www.cooperlighting.com

Canada Sales
5925 McLaughlin Road
Mississauga, Ontario L5R 1B8
P: 905-501-3000
F: 905-501-3172

© 2025 Cooper Lighting Solutions
All Rights Reserved
Printed in USA
Publication No. SA519094EN
September 19, 2025 8:30 AM